

FIG. 1




FIG. 2




FIG. 3

871,510 1974-10-22
SCHNEIDER, ET AL.
METHOD AND APPARATUS

10079936 0050902




FIG. 4




FIG. 5




FIG. 6

0.000000000000000
0.000000000000000
0.000000000000000




FIG. 7(a)




FIG. 7(b)




FIG. 8(a)




FIG. 8(b)




FIG. 9(a)




FIG. 9(b)

600 nm
635 nm
650 nm




FIG. 10



FIG. 11




FIG. 12(a)




FIG. 12(b)

FOV1: 1.04 mm^2
FOV2: 0.16 mm^2
FOV3: 0.04 mm^2






FIG. 13



AT LEAST ONE DIFFUSING SPOT LIES WITHIN EACH BRANCH FOV

FIG. 14(a)



AT MOST ONE DIFFUSING SPOT LIES WITHIN EACH BRANCH FOV

FIG. 14(b)




FIG. 15




FIG. 16(a)




FIG. 16(b)




FIG. 17(a)




FIG. 17(b)




FIG. 18

FIG. 19(a)




FIG. 19(b)




FIG. 19(c)




FIG. 19(d)




FIG. 20(a)




FIG. 20(b)




FIG. 20(c)




FIG. 20(d)

